TRI COUNTY BLOCK & BRICK INCORPORATED
Swanton, Oh.

Brick by brick, block by block, we help you build quality



BLOCK **CATALOG**

Serving Northwest Ohio, Southern Michigan, and Northern Indiana since 1953!

WWW.TRICOUNTYBLOCK.COM

TRI COUNTY BLOCK & BRICK INCORPORATED Swanton, Oh.

Proud members of:

ACCREDITED BUSINESS BBB

The Ohio Manufacturers' ASSOCIATION

MASONRY Institute of Michigan

AIA Toledo

Brick by brick, block by block, we help you build quality

419-826-7060
1628 US 20A SWANTON, OHIO 43558

sales@tricountyblock.com
www.tricountyblock.com

Proudly family-owned in Swanton since 1953

We're Tri-County Block & Brick, a family business built (literally!) from the ground up to serve Northwest Ohio with the best in brick, block, stone, and masonry materials.

Our story started back in 1953, when Forrest and Roberta Cooley set up shop on Airport Highway with nothing more than determination, two employees, and the capacity to make just 2,000 concrete blocks a day.

By 1957, we'd purchased land on Airport Highway west of Swanton — the same property we call home today. As demand grew, so did production:
-A new block machine increased output to 5,000 blocks per day
-Continued expansions added acreage, storage, and a full plant
-By the mid-90s, upgrades boosted production to over 23,000 units daily

Through every chapter, one thing has stayed the same:
-High-quality products
-Expert, personal service
-A commitment to doing things the right way

And decades later, Tri-County is still in the Cooley family — with Roger and his sons Donavan and Hans at the helm, supported by a hardworking crew who call this community home.

With 25 employees and one of the largest brick and stone inventories in Northwest Ohio, we're proud to serve homeowners, contractors, and builders who want their projects done right.

Thanks for being part of the Tri-County story — past, present, and future.

Brick by brick, block by block, we help you build quality


419-826-7060
1628 US 20A SWANTON, OHIO 43558
sales@tricountyblock.com
www.tricountyblock.com

419-826-7060
1628 US 20A SWANTON, OHIO 43558


BLOCK CATALOG

sales@tricountyblock.com
www.tricountyblock.com


Brick by brick, block by block, we help you build quality




CEMENT BRICK
Dimensions: 3 ⅝ x 2 ¼ x 7 ⅝




1 X 8 X 16 SOLID
Dimensions: 1 x 7 ⅝ x 15 ⅝




2 X 8 X 16 SOLID
Dimensions: 1 ⅝ x 7 ⅝ x 15 ⅝




3 X 8 X 16 SOLID
Dimensions: 2 ⅝ x 7 ⅝ x 15 ⅝




4 X 4 X 16 SOLID
Dimensions: 3 ⅝ x 3 ⅝ x 15 ⅝




4 X 5 X 16 HOLLOW STARTER
Dimensions: 3 ⅝ x 5 x 15 ⅝




4 X 8 X 8 HOLLOW
Dimensions: 3 ⅝ x 7 ⅝ x 7 ⅝




4 X 8 X 8 SOLID
Dimensions: 3 ⅝ x 7 ⅝ x 7 ⅝




4 X 8 X 8 SINGLE BULLNOSE
Dimensions: 3 ⅝ x 7 ⅝ x 7 ⅝




4 X 8 X 12 SOLID
Dimensions: 3 ⅝ x 7 ⅝ x 11 ⅝




4 X 8 X 16 HOLLOW
Dimensions: 3 ⅝ x 7 ⅝ x 15 ⅝




4 X 8 X 16 SOLID
Dimensions: 3 ⅝ x 7 ⅝ x 15 ⅝




4 X 8 X 16 SINGLE BULLNOSE
Dimensions: 3 ⅝ x 7 ⅝ x 15 ⅝



4 X 8 X 16 DOUBLE BULLNOSE (FACE & END)
Dimensions: 3 ⅝ x 7 ⅝ x 15 ⅝



4 X 8 X 16 SOLID L RETURN CORNER
Dimensions: 3 ⅝ x 7 ⅝ x 15 ⅝




4 X 8 X 16 SINGLE BULLNOSE L RETURN CORNER
Dimensions: 3 ⅝ x 7 ⅝ x 15 ⅝

419-826-7060
1628 US 20A SWANTON, OHIO 43558


BLOCK CATALOG

sales@tricountyblock.com
www.tricountyblock.com


Brick by brick, block by block, we help you build quality




6 X 4 X 16 HOLLOW
Dimensions: 5 ⅝ x 3 ⅝ x 15 ⅝




6 X 4 X 16 SOLID
Dimensions: 5 ⅝ x 3 ⅝ x 15 ⅝




6 X 5 X 16 HOLLOW
Dimensions: 5 ⅝ x 5 x 15 ⅝




6 X 8 X 8 HOLLOW
Dimensions: 5 ⅝ x 7 ⅝ x 7 ⅝




6 X 8 X 8 SINGLE BULL NOSE
Dimensions: 5 ⅝ x 7 ⅝ x 7 ⅝




6 X 8 X 14 HOLLOW (FOR CORNERS)
Dimensions: 5 ⅝ x 7 ⅝ x 13 ⅝




6 X 8 X 14 SOLID CATCH BASIN
Dimensions: 5 ⅝ x 7 ⅝ x 13 ⅝




6 X 8 X 16 HOLLOW
Dimensions: 5 ⅝ x 7 ⅝ x 15 ⅝




6 X 8 X 16 SOLID
Dimensions: 5 ⅝ x 7 ⅝ x 15 ⅝




6 X 8 X 16 SINGLE BULLNOSE
Dimensions: 5 ⅝ x 7 ⅝ x 15 ⅝




6 X 8 X 16 DOUBLE BULLNOSE (FACE & END)
Dimensions: 5 ⅝ x 7 ⅝ x 15 ⅝




6 X 8 X 16 HOLLOW BOTTOM BOND BEAM
Dimensions: 5 ⅝ x 7 ⅝ x 15 ⅝




6 X 8 X 16 SOLID BOND BEAM/SEMI-SOLID
Dimensions: 5 ⅝ x 7 ⅝ x 15 ⅝



6 X 8 X 16 KNOCK OUT UTILITY
Dimensions: 5 ⅝ x 7 ⅝ x 15 ⅝



8 X 4 X 16 HOLLOW
Dimensions: 7 ⅝ x 3 ⅝ x 15 ⅝




8 X 5 X 16 HOLLOW
Dimensions: 7 ⅝ x 5 x 15 ⅝

419-826-7060
1628 US 20A SWANTON, OHIO 43558


BLOCK CATALOG

sales@tricountyblock.com
www.tricountyblock.com


Brick by brick, block by block, we help you build quality




8 X 8 X 8 HOLLOW
Dimensions: 7 ⅝ x 7 ⅝ x 7 ⅝




8 X 8 X 8 SINGLE BULLNOSE
Dimensions: 7 ⅝ x 7 ⅝ x 7 ⅝




8 X 8 X 8 DOUBLE BULLNOSE (FACE & END)
Dimensions: 7 ⅝ x 7 ⅝ x 7 ⅝




8 X 8 X 8 X 11 - 45 DEGREE
Dimensions: 7 ⅝ x 7 ⅝ x 7 ⅝ x 11 ¼




8 X 8 X 8 X 13 - 60 DEGREE
Dimensions: 7 ⅝ x 7 ⅝ x 7 ⅝ x 13 ¼




8 X 8 X 12 HOLLOW PIER
Dimensions: 7 ⅝ x 7 ⅝ x 11 ⅝




8 X 8 X 16 HOLLOW
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝




8 X 8 X 16 CORNERS & PIERS
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝




8 X 8 X 16 KNOCKOUT UTILITY
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝




8 X 8 X 16 RESTRICTED BOND BEAM
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝




8 X 8 X 16 SOLID BONDBEAM
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝




8 X 8 X 16 SINGLE BULLNOSE
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝




8 X 8 X 16 DOUBLE BULLLNOSE (FACE & END)
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝



8 X 8 X 16 SEMI SOLID
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝



8 X 8 X 16 HOLLOW HEADER
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝




8 X 8 X 16 SOLID
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝

BLOCK CATALOG


419-826-7060
1628 US 20A SWANTON, OHIO 43558

sales@tricountyblock.com
www.tricountyblock.com


Brick by brick, block by block, we help you build quality




8 X 8 X 16 H-BLOCK
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝




8 X 8 X 16 REROD BLOCK
Dimensions: 7 ⅝ x 7 ⅝ x 8 ⅝




8 X 8 X 16 75%
Dimensions: 7 ⅝ x 7 ⅝ x 15 ⅝




8 X 8 X 32 HOLLOW
Dimensions: 7 ⅝ x 7 ⅝ x 31 ⅝




10 X 8 X 8 HOLLOW
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝




10 X 8 X 8 SINGLE BULLLNOSE (FACE & END)
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝




10 X 8 X 8 DOUBLE BULLNOSE (FACE & END)
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝




10 X 4 X 16 HOLLOW
Dimensions: 9 ⅝ x 3 ⅝ x 15 ⅝




10 X 4 X 16 SOLID
Dimensions: 9 ⅝ x 3 ⅝ x 15 ⅝




10 X 8 X 16 HOLLOW
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝




10 X 8 X 16 CORNER
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝




10 X 8 X 16 RETURN CORNERS
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝




10 X 8 X 16 RESTRICTED BOND BEAM
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝



10 X 8 X 16 SOLID BOND BEAM
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝



10 X 8 X 16 SOLID
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝




10 X 8 X 16 75% SOLID LIGHTWEIGHT
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝

419-826-7060
1628 US 20A SWANTON, OHIO 43558


BLOCK CATALOG

sales@tricountyblock.com
www.tricountyblock.com


Brick by brick, block by block, we help you build quality




10 X 8 X 16 SINGLE BULLNOSE
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝




10 X 8 X 16 DOUBLE BULLNOSE END & FACE
Dimensions: 9 ⅝ x 7 ⅝ x 15 ⅝




12 X 8 X 8 SASH
Dimensions: 11 ⅝ x 7 ⅝ x 7 ⅝




12 X 8 X 8 EARED
Dimensions: 11 ⅝ x 7 ⅝ x 7 ⅝




12 X 8 X 8 SINGLE BULLNOSE
Dimensions: 11 ⅝ x 7 ⅝ x 7 ⅝




12 X 8 X 8 DOUBLE BULLNOSE
Dimensions: 11 ⅝ x 7 ⅝ x 7 ⅝




12 X 8 X 12 PIER BLOCK
Dimensions: 11 ⅝ x 7 ⅝ x 11 ⅝




12 X 4 X 16 HOLLOW
Dimensions: 11 ⅝ x 3 ⅝ x 15 ⅝




12 X 4 X 16 SOLID
Dimensions: 11 ⅝ x 3 ⅝ x 15 ⅝




12 X 5 X 16 HOLLOW STARTER
Dimensions: 11 ⅝ x 5 x 15 ⅝




12 X 8 X 16 45 DEGREE
Dimensions: 11 ⅝ x 7 ⅝ x 15 ⅝




12 X 8 X 16 HOLLOW
Dimensions: 11 ⅝ x 7 ⅝ x 15 ⅝




12 X 8 X 16 CORNER
Dimensions: 11 ⅝ x 7 ⅝ x 15 ⅝



12 X 8 X 16 SOLID
Dimensions: 11 ⅝ x 7 ⅝ x 15 ⅝



12 X 8 X 16 RETURN CORNER
Dimensions: 11 ⅝ x 7 ⅝ x 15 ⅝




12 X 8 X 16 RESTRICTED BOND BEAM
Dimensions: 11 ⅝ x 7 ⅝ x 15 ⅝

419-826-7060
1628 US 20A SWANTON, OHIO 43558


BLOCK CATALOG

sales@tricountyblock.com
www.tricountyblock.com


Brick by brick, block by block, we help you build quality




12 X 8 X 16 SINGLE BULLNOSE
Dimensions: 11 5/8 x 7 5/8 x 15 5/8




12 X 8 X 16 DOUBLE BULLNOSE FACE & END
Dimensions: 11 5/8 x 7 5/8 x 15 5/8




12 X 8 X 16 KNOCK OUT UTILITY
Dimensions: 11 5/8 x 7 5/8 x 15 5/8




12 X 8 X 16 GRADE BLOCK
Dimensions: 11 5/8 x 7 5/8 x 15 5/8




12 X 8 X 32 HOLLOW
Dimensions: 11 5/8 x 7 5/8 x 31 5/8




14 X 8 X 8 HOLLOW
Dimensions: 13 5/8 x 7 5/8 x 7 5/8




14 X 8 X 16 HOLLOW
Dimensions: 13 5/8 x 3 5/8 x 15 5/8




16 X 8 X 16 HOLLOW
Dimensions: 15 5/8 x 7 5/8 x 15 5/8



16 X 8 X 16
PIER/COLUMN/CHIMNEY
Dimensions: 15 5/8 x 7 5/8 x 15 5/8



17 X 8 X 17 CHIMNEY BLOCK LIGHT
Dimensions: 16 5/8 x 7 5/8 x 16 5/8



17 X 8 X 21 CHIMNEY BLOCK LIGHT WEIGHT
Dimensions: 16 5/8 x 7 5/8 x 20 5/8

419-826-7060
1628 US 20A SWANTON, OHIO 43558

BLOCK CATALOG

sales@tricountyblock.com
www.tricountyblock.com

Brick by brick, block by block, we help you build quality

Color options available by request

Available Medium & Lightweight Options:

6x8x16 Hollow Medium Weight
6x8x16 Hollow Light Weight
6x8x16 Hollow Bottom Bond Beam Light Weight
8x8x8 Hollow Medium Weight
8x8x8 Half Light Weight
8x8x16 75% Light Weight
8x8x16 Restricted Bond Beam Medium Weight
8x8x16 Solid Bond Beam Light Weight
8x8x32 Hollow Medium Weight
10x8x8 Hollow Light Weight
10x8x16 Hollow Medium Weight
10x8x16 Hollow Light Weight
10x8x16 Hollow Bond Beam Light Weight
12x8x8 Hollow Medium Weight
12x8x8 Hollow Light Weight
12x8x16 Hollow Medium Weight
12x8x16 Hollow Light Weight
12x8x16 Corner Light Weight
12x8x16 Return Corners Light Weight
12x8x16 Hollow Bottom Bond Beam Light Weight
12x8x16 Solid Bond Beam Light Weight
12x8x16 Restricted Bond Beam Light Weight
14x8x16 Hollow Light Weight
16x8x16 Hollow Light Weight
16x8x16 Hollow Bond Beam Light Weight

TRI COUNTY BLOCK & BRICK INCORPORATED Swanton, Oh.

BLOCK CATALOG

419-826-7060
1628 US 20A SWANTON, OHIO 43558

sales@tricountyblock.com
www.tricountyblock.com





Brick by brick, block by block,
we help you build quality







TRI COUNTY BLOCK & BRICK INCORPORATED Swanton, Oh.

Brick by brick, block by block, we help you build quality

Tri-County Block & Brick
1628 US 20A
Swanton, OH
43558

(419)826-7060

www.tricountyblock.com
sales@tricountyblock.com

Serving Northwest Ohio, Southwest Michigan, and Northeast Indiana since 1953!

WWW.TRICOUNTYBLOCK.COM

© Tri-County Block & Brick, Inc. 2026